

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office OCT 26 2000

Returned to applicant for correction NOV 14 2000

Corrected application filed DEC 13 2000

Map filed DEC 13 2000

The applicant **Sierra Ready Mix L.L.C.**, hereby make application for permission to change the **Point of Diversion** of water heretofore appropriated under **Permit #65160**

1. The source of water is **an underground source**
2. The amount of water to be changed **1.0 cubic feet per sec. 150 acre feet annually.**
3. The water to be used for **industrial**
4. The water heretofore permitted for **industrial**
5. The water is to be diverted at the following point **The NE¼ of the SW¼, of Section 6, T26S., R60E., Mt. Diablo B&M at a point where the NW corner of said Section 6 bears N 21 degrees 00' W 3771 feet.**
6. The existing permitted point of diversion is located within **The NE¼ of the SW¼, of Section 6, T26S., R60E., Mt. Diablo B&M at a point where the NW corner of said Section 6 bears N 34 degrees 41' W 3879 feet**
7. Proposed place of use **Within the NE¼ of the SW¼ of Section 6, T26S., R60E., Mt. Diablo B&M.**
8. Existing place of use **Within the NE¼ of the SW¼ of Section 6, T26S., R60E., Mt. Diablo B&M.**
9. Use will be from **Jan. 1st. to Dec. 31st.** of each year.
10. Use was permitted from **Jan. 1st. to Dec. 31st.** of each year.
11. Description of proposed works **from an 850' 8" diameter well, equipped with a 60 h.p. pump, piped to a screening and washing plant. (see #15)**
12. Estimated cost of works **\$85,000.00**
13. Estimated time required to construct works **2 years**
14. Estimated time required to complete the application of water to beneficial use **5 years**
15. Remarks: **Water required to a total of 150 acre feet per year, for washing and screening 4000 tons of sand per day. Waste water to be reclaimed and reused. Evaporation losses and water contained in the product cannot be returned.**

By **David A. McColley Agent**
s/David A. McColley (Agent)
4150 Smiley Road
North Las Vegas, NV. 89031

Compared cmf/ kdg ds/cmf

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore temporarily granted under Permit 65160 is issued subject to the terms and conditions imposed in said Permit 65160 and with the understanding that no other rights on the source will be affected by the change proposed herein. This permit is issued subject to existing rights. It is understood that the amount of water herein granted is only a temporary allowance issued under the provisions of NRS 533.371 for a finite period of time. This permit will expire on **December 6, 2015** and all rights herein will revert back to the source. It is also understood that this right must allow for a reasonable lowering of the static water level. This well shall be equipped with a two (2) inch opening for measuring depth to water. A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed. This source is located within an area designated by the State Engineer, pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

This permit is issued as a preferred use and any change of the point of diversion or place of use will not be allowed.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 1.0 cubic feet per second, but not to exceed 150 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

December 6, 2001

Proof of completion of work shall be filed before:

January 6, 2002

Water must be placed to beneficial use:

December 6, 2015

Permit Expires

Proof of the application of water to beneficial use:

December 6, 2015

Map in support of proof of beneficial use:

December 6, 2015

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 20th day of, November A.D. 2001

Hugh Ricci, P.E.
State Engineer

Completion of work filed JUL 21 2003

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____